



# **MIDFACE**

**Central & Vertical Face Lift**

**Dr. Michael Byun, M.D., S.C.**

# The 'Byun' Difference

Preserve natural beauty, enhance your beauty,  
bring out your elegance

**Michael Byun, M.D., S.C.**


# Central & Mid-face Lift

*The Byun Difference,  
Mid-Face Lift provides  
a natural, youthful  
enhancement to your  
appearance.*






# Mid-face Lift Technique by Dr. Michael Byun





# ENDOTINE Midface Lift




Volume enhancement and projection with the ENDOTINE Midface implant is as simple as the device is elegant. Easily deployed, the integrated leash makes adjustments simple, for optimal control and correction. And its bioabsorbable material results in secure fixation during healing—after which the device is reabsorbed.

# BENEFITS


- **FAST** The ENDOTINE Midface devices provide secure soft tissue fixation in five minutes or less in the hands of an experienced surgeon.
- **ADJUSTABLE** ENDOTINE Midface implants allow for simple adjustments of tension and position for greater aesthetic control of cheek elevation and projection.
- **SECURE** By distributing elevation forces over five tines, ENDOTINE's proprietary multipoint technology takes fixation to a totally new level of security.





## Procedure 1. Initial incisions

The midface subperiosteal dissection is performed using the surgeon's typical temporal approach, which may include additional incisions (buccal or periorbital). Dissection should continue to the inferior maxilla, to assure that the fixation platform is positioned over the maxillary antrum after elevation.




## Procedure 2. Placement

Insert the Midface device through the temporal incision to the desired position.

### Placement Options


Alternatively, the implant may be removed from the insertion tools and inserted in a retrograde fashion through an oral incision.





### Procedure 3. Deployment


With the fixation platform at the inferior recess of the dissection, retract the plastic cover by squeezing the release mechanism.



#### Procedure 4. Fixation


Once the platform is in position and deployed, apply digital Pressure over the cheek to engage the tines in soft tissue.





## Procedure 5. Insertion Tool Removal

Remove the insertion tools while maintaining digital pressure on the fixation platform.



## Procedure 6. Elevation

Elevate the midfacial tissues to the desired position by applying tension to the anchoring leash exiting the temporal incision. Anchor the leash to the temporal fascia with suture and trim leash to lay flat in the incision.



# *The Byun Difference*



**Pre-Op**



**6 month Post-Op**



# *The Byun Difference*



**Pre-Op**



**6 month Post-Op**





# *The Byun Difference*



**Pre-Op**



**6 month Post-Op**



# *The Byun Difference*



**Pre-Op**



**6 month Post-Op**





# *The Byun Difference*



**Lower Lid Blepharoplasty & Mid Face Lift**



# *The Byun Difference*



**Endoscopic Brow Lift, Cheek & Neck lift  
Upper & Lower Lid Blepharoplasty**



# *The Byun Difference*



**Endoscopic Brow Lift, Cheek & Neck lift  
Upper & Lower Lid Blepharoplasty**



# *The Byun Difference*



**Face Lift, Mid Face Lift & Brow Lift**



# *The Byun Difference*



**Face Lift, Mid Face Lift  
Chin Implant & Brow Lift**



# *The Byun Difference*



**Face Lift, Mid Face Lift  
Chin Implant & Brow Lift**